

FLOCKED MATS

Flocked mats provide a crisp, clean image and are ideal for 1-3 (spot) color designs. Nylon flock is permanently embedded into the mat's surface creating strong visual effects with a slightly raised imprint. Flocked mats are ideal for moderate traffic areas.



Give your floors that extra pizzazz with Olé Olefin mats. The absorbent olefin cut pile surface is bonded to a heavy-duty vinyl backing. Olefin yarn is stain, soil and mildew resistant.



Available in the following standard sizes: 18"x27" • 2'x3' • 3'x4' • 3'x5' • 4'x6' Runners and custom size mats are available.

Olé Olefin Mat Colors - Solid



















Olé Olefin Mat Colors - Heather







Heather Blue



Heather Green



Heather Brown



Heather Charcoal



Heather Walnut



Heather Camel

CAMELOT

Smooth Ribbed Floor Mat



The Camelot's smooth, ribbed polypropylene surface makes this an ideal mat for flocking or screen printing. It is long-wearing and provides an attractive addition to any setting. This mat is backed in a rugged, heavy duty vinyl and designed for indoor use in moderate traffic areas.

Camelot Mat Colors















Available in the following standard sizes: 18"x27" • 2'x3' • 3'x4' • 3'x5' • 4'x6' Runners and custom size mats are available.





Polypropylene (Berber) Mat

The Diamondback is a densely needle punched, polypropylene carpet mat that combines durability with attractive appearance. It is the ideal mat for indoor or outdoor use. The Diamondback mat, with its distinctive pattern, provides an attractive addition to any decor.

Diamondback Mat Colors











Charcoal

Available in the following standard sizes: 18"x27" • 2'x3' • 3'x4' • 3'x5' • 4'x6' Runners and custom size mats are available.



Natural Fiber Cocoa Mats

The traditional Cocoa Mat, with its superior brushing action and attractive appearance has been a standard for entrance matting for years. The surface of this mat is made from the natural fiber of coconut husks. It is backed in heavy duty vinyl and is perfect for use indoors or out.


Cocoa Mat Color



Available in the following standard sizes: 19"x29" • 2'x3' • 2'x4' • 3'x5' • 3'x6'
Custom size mats are available.

Flock Imprint Colors Black Silver Gray White PMS 877 Cream Beige Brown PMS 7504 PMS 7499 PMS 4625 Gold Yellow Gold Orange Gold PMS 871 PMS 125 PMS 137 Orange PMS 167 Yellow Yellow Beige Process Yellow PMS 458 Red Magenta Burgundy **PMS 200** Process Magenta PMS 195 Bright Purple Navy Blue Purple PMS 520 PMS 267 PMS 2767 Blue Azure Blue Process Blue Reflex Blue PMS 2925 Process Blue Baby Blue Hunter Green Emerald PMS 645 PMS 3435 PMS 3425 Olive Green Light Green Dark Teal PMS 339 PMS 575 PMS 330 Colors are representative and there will be a slight color variance. Pantone Matching System PMS Light Teal numbers are listed for reference only. PMS 326 PMS is a registered trademark of Pantone Inc.

NYLON DYE MATS



Nylon dye mats combine elegance, durability and functionality. Composed of a plush nylon cut pile surface bonded to a nonskid backing, this mat holds up to heavy traffic conditions. The entire mat is dyed with special inks that provide outstanding images and 100% coverage. We offer an extensive palette of vibrant colors, so design options are endless.

SOBE

- Images created with a patented dyeing process
- Extensive color range
- Ideal for heavy traffic areas
- Washable rubber backing

Perfect for:

- POP Advertising
- Co-op Programs
- Schools/Universities
- Automobile Dealers
- Brand Building
- Retail Stores
- Office Buildings
- Restaurants


...any place that wants to promote brand and name recognition while protecting floors.



Phone: 905-738-3171

Toll Free: (800) 567-MATS (6287)

DYE SUB MATS



Dye Sub mats offer exceptional print quality that brings images to life. Designs are printed on paper using special dyes that are then transferred onto the polyester mat's surface, leaving a brilliant colorful image.

- Imprinted via dye sublimation heat transfer
- · Spot or four color process available
- Polyester mat with urethane backing
- Cost effective for large volume orders

Available in the following standard sizes: 18"x24" • 18"x27" • 2'x3' • 3'x4' • 3'x5' • 4'x6'

Custom size mats are available.

MUL-T-MAT

Phone: 905-738-3171

Toll Free: (800) 567-MATS (6287)

mBOSSED MATS



ANTI-FATIGUE FLOOR MATTING

Promote your message with embossed anti-fatigue matting. These mats are constructed of closed-cell PVC sponge. Ideal for cashiers, workstations, counters, assembly lines...any place that requires extended periods of standing. Adds stylish comfort and safety to any work area.

- Multi-dimensional graphic impression embossed into the mat
- Up to 3 color images...no close registration
- Minimum order 50 mats

EverSoft Mat Colors










These highly functional, attractive scraper mats will catch dirt before it hits your floors. This durable, nitrile rubber mat with powerful graphics, is perfect for entryways where its skid resistant backing provides minimal movement on hard surfaces.



Available in the following standard sizes: 2'x3' • 3'x4' • 3'x5' • 4'x6' Runners and custom size mats are available.



Available in the following standard sizes: 2'x3' • 3'x4' • 3'x5' • 4'x6'

Print Colors



















Phone: 905-738-3171

Toll Free: (800) 567-MATS (6287)

GRAPHIX MATS





The Graphix Mat is comprised of a heavy duty vinyl top surface that is bonded to a soft PVC backing. This anti-fatigue mat provides comfort while standing at counters, copiers, teller stations and it can even be used in operation rooms. The imprint is silk-screened with up to 5 colors for dramatic, enhanced visual detail. After printing, the surface is coated with a scratch resistant laminate for exceptional durability.

Perfect for:

- Counters
- Copiers
- Operating Rooms
- POP

...any place people stand.

Available in the following standard sizes: 2'x3' • 3'x4' • 3'x5' • 4'x6' Custom size mats are available.



MUL-T-MAT

Phone: 905-738-3171

Toll Free: (800) 567-MATS (6287)

GENERAL INFORMATION

Artwork Submission

To ensure the best quality reproductions of your artwork we request one of the following formats:

- Adobe Illustrator
- Macromedia Freehand
- Photoshop
- Files: EPS, TIFF, JPEG (300 dpi resolution)
- Black and White Camera Ready

Formats that cannot be used:

- Faxes
- Printed Mats
- Patches
- Photographs of Mats

Image Placement

Be sure to indicate horizontal or vertical placement of your image on the mat.





Horizontal

Vertical

FLOCKED MATS: Maximum standard imprint area is 40" x 40". It is best to keep the image at least 2" in from the edge of the mat. For example the maximum image area for a 24" x 36" mat is 20" x 32".

NYLON DYE and DYE SUB MATS: Image area may extend the full size of the mat.

mBOSSED MATS: The maximum image area is 30" x 30".

Color

Slight variations in the mat or imprint colors shown in this catalog may exist during process. If color matching is critical, please request a color swatch.

Copyrights, Patents and Trademarks

All images in this catalog are for display purposes only. They do not represent an endorsement by these companies or products. These items may be purchased only through the company or representative of the company owning the rights to the logo or message. It is the responsibility of the party ordering a specific imprint or logo to receive proper authorization for use. Ordering party agrees not to hold PromoMatting liable for patents that may exist as a result of PromoMatting fulfilling an order.

Lead-Time

Normal lead-time for imprinted matting is 15 working days. Call for quote and availability of rush services.

Guarantee

All of our mats are guaranteed against manufacturer defects for one year from delivery.

Returns

If an item needs to be returned, a return authorization number must be obtained from our Customer Service Department.

Freight

FOB Acworth, Georgia

Cleaning Instructions

All PromoMatting, with the exception of Dye Sub, may be cleaned using the following methods:

- Sweeping
- Vacuuming
- Shaking

- Hosing
- Steam Cleaning



Phone: 905-738-3171

Toll Free: (800) 567-MATS (6287)

